Des

VELOCIPEDES

PARK CYCLES

AUTOMOBILES

BABY WALKERS

PEDAL BIKES

SLEDS.....

WAGONS.....

SCOOTERS

E-10A

Garton

TOY COMPANY

SHEBOYGAN

WISCONSIN

•

CATALOG 1956

U. S. Patent Office
MAR 12 1956
Design Division

U. S. Patent Office
MAR 12 1956
Design Division

Garton TOY COMPANY

SHEBOYGAN, WISCONSIN

"Good Toys Since 1879"

ROBERT E. GARTON
President

DAVID GARTON
Vice President and Secretary

DELMAR W. HUENINK
Vice President and Treasurer

OFFICES AND SHOWROOMS

NEW YORK
Blake & Conroy
1107 Broadway, Space 407

CHICAGO
Harcourt Company
121 N. Marion St.
Oak Park, Illinois

LOS ANGELES
Sebe Garton
511 Merchandise Mart
712 So. Olive Street

MONTREAL
Lou Frank Sales Co.
Room 5
510 McGill Street

CINCINNATI
J. G. Frommeyer
1125 Lois Drive

ATLANTA
Burgess Toy Sales Co.
74 Houston St., N. E.

KANSAS CITY
Donovan-Mercer Co.
403-B Merchandise Mart

DENVER
K. J. Dahm Company
1427 Elati Street

DALLAS
D. D. Otstott Co.
1057 Santa Fe Bldg.

U. S. Patent Office
MAR 12 1956
Design Division

LIBRARY
MAR 8 1956
U. S. PATENT OFFICE

5620

5620 — TRACTOR

SIZE — 37 inches long, 20 inches wide, 25 inches high.

BODY — Massive new design with embossed grill, motor block, power battery. Simulated spark plugs and ignition system. Rear fenders and step plate one piece heavy gauge steel. Large spring mounted adjustable seat. Tow bar and hitch. Gear shift lever produces motor sounds when engaged.

GEAR — Ball bearing adjustable chain drive, completely enclosed for safety. Ball bearing rear axle supports.

WHEELS — 8 inch ball bearing front wheel with 1.75 semi-pneumatic tires. Wheel turns full 360° arc. 10 inch ball bearing rear wheels with 1.75 heavy tractor tread semi-pneumatic tires.

FINISH — Durable baked-on enamel. Body red and white. Wheels white.

PACKING — One in carton.

WEIGHT — 40 pounds.

5630

5630 — SPEEDSTER

SIZE — 35 inches long, 21 inches wide, 23 inches high.

BODY — One piece heavy gauge steel rigidly braced for maximum strength. Large adjustable steel seat. One piece steel foot rest welded to front axle. Fifth wheel for easy turning.

GEAR — Ball bearing chain drive completely enclosed for safety. Ball bearing connecting rod, drive shaft, rear axle supports.

WHEELS — 8 inch ball bearing front wheels. 12" ball bearing rear wheels. 1.25 semi-pneumatic tires.

FINISH — Durable baked-on enamel. Body blue. Seat gray. Wheels gray, striped blue. Handle natural varnish.

PACKING — One in carton.

WEIGHT — 34 pounds.

LIBRARY
MAR 8 1956
U. S. PATENT OFFICE

U. S. Patent Office
MAR 12 1956
Design Division

5705

5705 — AUTO

BODY — New lower design. All steel construction. Length overall 37 inches.

FINISH —Flamboyant Green, decorated Ivory, red, silver. Wheels ivory, striped green. Plated hub caps. Facsimile license stencilled on rear of body.

GEAR — Ball bearing rear axle supports. Adjustable pedals.

WHEELS — 8 inch disc with nylon bearings.

TIRES — ⅝ inch rubber.

PACKING — One in carton.

WEIGHT — 29 pounds.

5707

5707 — FIRE CHIEF AUTO

BODY — New lower design. All steel construction. Length overall 37 inches.

FINISH — Red, decorated white, red and silver. Wheels white, striped red. Facsimile license stencilled on rear of body.

EQUIPMENT — Plated fire bell with chain. Plated hub caps.

GEAR — Ball bearing rear axle supports. Adjustable pedals.

WHEELS — 8 inch disc with nylon bearings.

TIRES — ⅝ inch rubber.

PACKING — One in carton.

WEIGHT — 29 pounds.

U. S. Patent Office
MAR 12 1956
Design Division

5709

5709 — FIRE DEPARTMENT LADDER TRUCK

BODY — New lower design. All steel construction. Length overall 42 inches.
FINISH — Body red, decorated white and silver. Wheels white with red stripe. Steering wheel and hand rails white. Ladders natural varnish.
EQUIPMENT — Plated fire bell with chain. Tubular steel hand rails with two wood ladders. Rear seat. Plated hub caps.
GEAR — Ball bearing rear axle supports. Adjustable pedals.
WHEELS — 8 inch disc with nylon bearings.
TIRES — 5/8 inch rubber.
PACKING — One in carton.
WEIGHT — 34 pounds.



5720

5720 — AUTO
with chain drive

BODY — New lower design. All steel construction. Length overall 37 inches.

FINISH — Advanced two-tone color combination. Flamboyant green and ivory, decorated red and silver. Wheels ivory, striped green and black. Facsimile license stencilled on rear of body.

GEAR — Speedy, easily operated chain drive with ball bearing pedal cranks. Ball bearing rear axle supports. Plated hub caps.

WHEELS — 8 inch disc with nylon bearings.

TIRES — ⅝ inch rubber.

PACKING — One in carton.

WEIGHT — 36 pounds.

U. S. Patent Office
MAR 12 1956
Design Division

5723

5723 — HOT ROD RACER
with chain drive

BODY — All steel body. Length overall 35 inches.

FINISH — Yellow, decorated red and black. Wheels white, striped red. Plated radiator ornament and hub caps.

GEAR — Speedy, easily operated chain drive with ball bearing pedal cranks. Ball bearing rear axle supports.

WHEELS — 10 inch artillery with nylon bearings.

TIRES — 1.75 inch puncture proof semi-pneumatic.

PACKING — One in carton.

WEIGHT — 38 pounds.





5724

Electric microphone and loud speaker

Jack Webb as Sergeant Friday presents the new DRAGNET* SQUAD CAR

5724 — DRAGNET* AUTO

BODY — New lower design. All steel construction. Length overall 37 inches.

FINISH — Advanced two-tone color combination. White and black, decorated red and silver. Facsimile license stencilled on rear of body. Wheels black, striped white.

EQUIPMENT — Electric microphone with loudspeaker and amplifier. (Batteries not included.)

GEAR — Ball bearing rear axle supports. Adjustable pedals.

WHEELS — 8 inch disc with nylon bearings.

TIRES — ⅝ inch rubber.

PACKING — One in carton.

WEIGHT — 29 pounds.

* Trademark Sherry TV, Inc.

NOTE — POINT OF SALE DISPLAY CARD DESCRIBING SPECIAL FEATURES WITH EACH AUTO.

U. S. Patent Office
MAR 12 1956
Design Division

5725
Electric headlights

5725 — RANCH WAGON AUTO

BODY — New lower design. All steel construction. Length overall 42 inches.

FINISH — Advanced two-tone color combination. Light blue and black, decorated silver, red and white. Facsimile license stencilled on rear of body. Wheels white, striped black. Steering wheel and hand rails, blue.

EQUIPMENT — Electric headlights. (Batteries not included.) Tubular steel hand rails. Rear seat. Plated aerial.

GEAR — Speedy, easily operated chain drive with ball bearing pedal cranks. Ball bearing rear axle supports.

WHEELS — 8 inch disc with nylon bearings.

TIRES — ⅝ inch rubber.

PACKING — One in carton.

WEIGHT — 39 pounds.

5751

5751 — KIDILLAC FIRE CHIEF AUTO

BODY — One piece steel. Length overall 45 inches, width 20 inches.

FINISH — Dynamic new two-tone color styling, Cardinal Red and Polar White, decorated gold and silver. Wheels white, striped red and black.

EQUIPMENT — Plated fire bell with chain. Plated head lamps. Plated hub caps. Electric spotlight less battery.

GEAR — Ball bearing rear axle supports. Adjustable pedals.

WHEELS — 8 inch disc with nylon bearings.

TIRES — 5/8 inch rubber.

PACKING — One in carton.

WEIGHT — 42 pounds.



5753

5753 — KIDILLAC
with chain drive

BODY — One piece steel. Length overall 45 inches, width 20 inches.
FINISH — Dynamic new two-tone color styling. Northern Bittersweet and Panther Black, decorated silver and red. Wheels white, striped Bittersweet and black.
EQUIPMENT — Plated rear view mirror. Aerial. Head lamps. Removable spare wheel and tire. Plated hub caps.
GEAR — Speedy, easily operated chain drive with ball bearing pedal cranks. Ball bearings on three rear axle supports.
WHEELS — 8 inch disc with nylon bearings.
TIRES — 1¼ inch rubber.
PACKING — One in carton.
WEIGHT — 51 pounds.





5755

5755 — KIDILLAC
with chain drive, electric lights and horn

BODY — One piece steel. Length overall 45 inches, width 20 inches.
FINISH — Dramatic new two-tone color styling. Flamboyant Maroon and Ivory, decorated silver and red. Wheels ivory, striped maroon and black. White sidewall tires.
EQUIPMENT — Electric headlights and electric horn with controls on dash. (Batteries not included.) Plated aerial, rear view mirror, hub caps. Removable spare wheel and tire.
GEAR — Speedy, easily operated chain drive with ball bearing pedal cranks. Ball bearings on three rear axle supports.
WHEELS — 8 inch disc with nylon bearings.
TIRES — 1¼ inch rubber.
PACKING — One in carton.
WEIGHT — 51 pounds.



U. S. Patent Office
MAR 12 1956
Design Division

6085

6500

6085 — BABY WALKER

BODY — Length 25", Width 19", Height 17". Seat made of seasoned lumber, finished white. Metal back of seat finished white with red decorations.

HANDLE — Push type adjustable tubular steel handle, riveted to rigid steel attaching arms, in which a luggage carrier is incorporated. Finished in red. Detachable.

WHEELS — Front wheels 5" disc. Rear wheels 7" disc for ease in going down curbings. All wheels finished white with red stripe and equipped with easy rolling Nylon bearings and ⅝" extruded tiring.

GEAR — New tubular design. Light but extremely sturdy. Finished red.

EQUIPMENT — Removable foot pan finished red. Tray. Beads. Rubber front bumper.

PACKING — One per carton. Assembled except for wheels, push handle, bumper and foot pan.

WEIGHT — 20 pounds.

6500 — BUDDIE BIKE

FRAME — Heavy steel wire. Height 17 inches, length 21 inches. Width at rear wheels 12 inches.

WHEELS — Double disc. 7 inch front wheel, 5 inch rear wheels.

TIRES — ⅝ inch rubber on front wheel, ½ inch rubber on rear wheels.

EQUIPMENT — Waterproof composition board seat. Wood handle.

FINISH — Seat and frame red, wheels white, Wood handle varnished.

PACKING — One in carton.

WEIGHT — 7 pounds.

6514

6509

6509 — PEDAL BIKE

FRAME — 1¼ inch tubing, single bar type with embossed step plate. 2 inch head. Height 16 inches, length 22 inches. Width at rear wheels 15 inches. Pedal wheel assembled in fork.

WHEELS — Double disc. 8 inch pedal wheel, 5 inch rear wheels.

PEDALS — One piece rubber.

TIRES — ½ inch rubber.

EQUIPMENT — Streamlined stamped handle bar with rubber grips. Large metal saddle.

FINISH — Frame red. Handle bar and wheels white.

PACKING — Six in carton. Weight per carton 53 pounds. Also available at extra charge packed one in carton. Weight 10 pounds.

6514 — PEDAL BIKE

FRAME — 1¼ inch tubing, single bar type with embossed step plate. 2 inch head. Height 16 inches, length 22 inches. Width at rear wheels 15 inches. Pedal wheel assembled in fork.

WHEELS — Double disc. 8 inch pedal wheel, 5 inch rear wheels.

PEDALS — One piece rubber.

TIRES — ¾ inch rubber.

EQUIPMENT — Truss rods, streamlined, stamped handle bar with rubber hand guards and grips. Red, white and blue streamers. Large safety bucket type saddle.

FINISH — Frame red, decorated white. Fork red. Handle bar, truss rods and saddle white. Wheels white, striped red.

PACKING — Four in carton. Weight per carton 40 pounds. Also available at extra charge packed one in carton. Weight 11 pounds.

PEDAL BIKES

3800

U. S. Patent Office
MAR 12 1956
Design Division

3810

3800 — VELOCIPEDE

FRAME — 1¼ inch tubing, single bar type with embossed step plate. 2 inch head.

WHEELS — Wire spoke. 10 inch Easy rolling nylon bearing front wheel. 7 inch rear wheels.

PEDALS — One piece block rubber.

TIRES — ⅝ inch rubber.

EQUIPMENT — ½ inch solid handle bar. Adjustable metal saddle.

FINISH — Frame red. Handle bars, wheels and saddle white.

PACKING — One in carton.

WEIGHT — 13 pounds per carton.

3810 — VELOCIPEDE

FRAME — 1¼ inch tubing, single bar type with new embossed step plate. 2 inch head.

WHEELS — Wire spoke. Easy rolling nylon bearing 10 inch pedal wheel, 7½ inch rear wheels.

PEDALS — One piece block rubber.

TIRES — 1 inch molded rubber.

EQUIPMENT — ½ inch handle bar. Adjustable metal saddle.

FINISH — Frame red, handle bar, wheels and saddle white.

PACKING — One in carton.

WEIGHT — 15 pounds per carton.

3710 Series

3730 Series

3710-3711-3713 — VELOCIPEDE

FRAME — 1¼ inch tubing, single bar with embossed step plate. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke. Easy rolling nylon bearings.

PEDALS — One piece block rubber.

TIRES — 1 inch semi-pneumatic; except No. 3713 which has 1.50" front and 1.25" rear.

EQUIPMENT — ⅝ inch tubular one-way adjustable handle bar except 3713 which has ¾ inch handle bar. Fender. Metal saddle.

FINISH — Maroon frame and fork, decorated white. Fender white, decorated maroon. Wheels and handle bar white.

PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3710	10-inch	7.50-inch	16 lbs.
3711	12-inch	7.50-inch	19 lbs.
3713	16-inch	10-inch	22 lbs.

3730-3731-3733-3735 — VELOCIPEDE

FRAME — 1¼ inch tubing, single bar type with embossed step plate. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke. Easy rolling nylon bearings pedal and rear wheels.

PEDALS — One piece block rubber.

TIRES — 1.75 inch puncture proof semi-pneumatic except rear wheels of No. 3730 which have 1.50 inch tires.

EQUIPMENT — ¾ inch tubular one-way adjustable handle bar. Fender. Adjustable black enamel saddle. Red plastic grips.

FINISH — Red frame and fork, decorated white. Fender white, decorated red. Wheels white.

PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3730	10-inch	7-inch	19 lbs.
3731	12-inch	8-inch	20 lbs.
3733	16-inch	10-inch	25 lbs.
3735	20-inch	12-inch	29 lbs.

3640 Series



Accompanying drawing illustrates reinforced fork equipped with Bronze self-centering cone bushing for long wearing at the most crucial points.

3640-3641-3643 — VELOCIPEDE

FRAME — 1¼ inch tubing, single bar type with embossed step plate. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.
WHEELS — Wire spoke. Easy rolling nylon bearings pedal and rear wheels.
PEDALS — Two piece green translucent vinylex.
TIRES — 1.75 inch puncture proof semi-pneumatic, except rear wheels of No. 3640 which have 1.50 inch tires.
EQUIPMENT — ¾ inch tubular one way adjustable handle bar. Truss rods on fork. Fender with guards. Coil spring saddle with padded, stitched vinyl top, ivory center, green trim. White rubber grips and hand guards. Green and white streamers.
FINISH — Flamboyant green, decorated white and gold. Wheels white, striped green. Handle bar and truss rods gold.
PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3640	10-inch	7-inch	22 lbs.
3641	12-inch	8-inch	24 lbs.
3643	16-inch	10-inch	29 lbs.

3650 Series

Freewheeling pedal wheel.

Hand Brake operating on pedal wheel.

3650-3651-3653 — VELOCIPEDE

FRAME — 1¼ inch tubing, standard arch type with embossed step plate. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke with barrel hubs. Easy rolling nylon bearing pedal and rear wheels. 4 inch plated hub caps.

PEDALS — Two piece opaque red and white vinylex.

TIRES — 1.75 puncture proof semi-pneumatic.

EQUIPMENT — Free wheeling pedal wheel for coasting. Hand brake. Fender with guards. Padded, stitched vinyl top saddle, ivory center, red trim, plated crash rail and coil springs. ¾ inch plated tubular adjustable handle bar. Rubber grips and hand guards. Streamers.

FINISH — Flamboyant Red. Frame, Fork and fender decorated gold and white. Wheels white, black stripe on pedal wheel, red stripe on rear wheels.

PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3650	10-inch	8-inch	23 lbs.
3651	12-inch	8-inch	25 lbs.
3653	16-inch	10-inch	30 lbs.

VELOCIPEDES

U. S. Patent Office
MAR 12 1956
Design Division

4263

4263 — VELOCIPEDE WITH DUMP BOX

FRAME — 1¼ inch tubing, standard arch type. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke pedal wheel. Double disc artillery rear wheels with 3 inch plated hub caps. All wheels with nylon bearings.

PEDALS — Two piece rubber.

TIRES — Puncture proof semi-pneumatic 1.75 inch pedal wheel. 10.50x1.75 inch heavy Tractor tread on rear wheels.

EQUIPMENT — Steel dump box with tail gate. Handle with sliding lock. Adjustable handle bar. Adjustable metal saddle.

FINISH — Blue frame. Box and fork decorated white. White fender and wheels decorated blue. Handle bar, saddle white.

PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
4263	16-inch	10.50-inch	30 lbs.

4291

4291 — TELEPHONE REPAIR VELOCIPEDE

FRAME — 1¼ inch tubing. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke pedal wheel. Double disc rear wheels with 3 inch plated hub caps. Easy rolling nylon bearing pedal and rear wheels.

PEDALS — One piece block rubber.

TIRES — Puncture proof semi-pneumatic 1.50 inch on pedal wheel, 1.25 inch on rear wheels.

EQUIPMENT — Wood storage box with hinged top. Capacity one cubic foot. ¾ inch tubular adjustable handle bar. Adjustable metal saddle. Repair kit consists of climbing strap and tool belt with hammer, pliers, screw driver, tape.

FINISH — Olive green box, frame and fork decorated white. Fender white, decorated green. Wheels, handle bar and saddle white.

PACKING — One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
4291	**12-inch**	**8-inch**	**22 lbs.**

156

U. S. Patent Office
MAR 12 1956
Design Division

156 — THE GARTON FALCON

FRAME — ⅞ inch tubing, 2 inch head. Fork reinforced and equipped with long wearing bronze bushings. Large embossed step plate 15½" x 6". Overall width at rear 22 inches. Width from center to center of rear wheels 18½ inches.

WHEELS — Wire spoke. Easy rolling nylon bearing pedal and rear wheels.

PEDALS — Two piece red and white opaque vinylex.

TIRES — Puncture proof semi-pneumatic. 1.75 inch on pedal wheel. 1.50 inch on rear wheels.

EQUIPMENT — ⅝ inch Tubular one-way adjustable handle bar. Large safety type bucket saddle. Red rubber grips and hand guards. Streamers. Fender on pedal wheel. Streamlined, enclosed fenders over rear wheels.

FINISH — Frame and fork red, decorated white. Fender and wheels white, decorated red and black. Handle bar and saddle white.

No.	Pedal Wheel	Rear Wheels	Weight per carton
156	12-inch	7-inch	29 lbs.

5610

5612

5610 — SIDEWALK BIKE

SIZE — Length overall 35 inches. Height overall 22 inches.

FRAME — 1¼ inch tubing. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke. 10 inches. Easy rolling nylon bearings.

PEDALS — One piece rubber.

TIRES — 1 inch puncture proof semi-pneumatic.

EQUIPMENT — Two 5 inch auxiliary wheels. ⅝ inch tubular adjustable handle bar. Fenders. Adjustable metal saddle. Red plastic handle grips.

FINISH — Frame red, decorated white. Wheels, fenders and handle bar white. Saddle red.

PACKING — One in carton.

WEIGHT — 18 pounds.

5612 — BORDER PATROL SIDEWALK BIKE

SIZE — Length overall 38 inches. Height overall 23 inches.

FRAME — 1¼ inch tubing. 2 inch head. Fork reinforced and equipped with long wearing bronze bushings.

WHEELS — Wire spoke, 12 inches. Easy rolling nylon bearings.

PEDALS — Two piece red and white opaque vinylex.

TIRES — 1.75 inch puncture proof semi-pneumatic.

EQUIPMENT — Two 5 inch auxiliary wheels. ¾ inch tubular adjustable plated handle bar. Fenders. Wire basket. Windshield. Aerial. Large bucket type adjustable saddle for extra safety. Red plastic hand guards and grips. Streamers. American flag.

FINISH — Frame red, decorated white. Fenders blue, striped white. Wheels white, decorated red. Saddle white.

PACKING — One in carton.

WEIGHT — 26 pounds.

5014

5014 — SIDEWALK BIKE

SIZE — Length overall 45 inches. Height overall 28 inches.
FRAME — Heavy tubing. Crossbar removable for converting into girl's model. Fork reinforced and equipped with long wearing Bronze bushings.
WHEELS — 14 inch. Wire spokes with barrel hubs. Nylon bearings.
PEDALS — Two piece rubber.
TIRES — 1.75 inch semi-pneumatic.
EQUIPMENT — Two 5 inch auxiliary wheels on steel arms, which can be removed after child acquires art of balancing. ¾ inch tubular one-way adjustable handle bar. Bicycle roller chain and sprocket. Chain guard. Adjustable metal spring seat. Fenders. Truss rods on front fork. Luggage carrier. Reflector on rear fender.
FINISH — Frame red, decorated white. Wheels white.
PACKING — One in carton.
WEIGHT — 35 pounds.



5616

5616 — SIDEWALK BIKE

SIZE — Length overall 47 inches. Height overall 30 inches.
FRAME — Heavy tubing. Cross bar removable for converting into girl's model. Fork reinforced and equipped with long wearing Bronze bushings.
WHEELS — 16 inch. Wire spokes, with easy rolling nylon bearings.
TIRES — 1.75 inch semi-pneumatic.
PEDALS — Two piece rubber.
EQUIPMENT — Two 5 inch removable trainer wheels. ¾ inch tubular one-way adjustable handle bar. Fenders. Bicycle roller chain and heavy gauge sprocket. Chain guard. Metal saddle.
FINISH — Frame maroon, decorated white. Wheels and fenders white, decorated maroon. Handle bar and saddle white.
PACKING — One in carton.
WEIGHT — 37 pounds.



U. S. Patent Office
MAR 12 1956
Design Division

5618

Freewheeling rear wheel.

Hand brake operating on front wheel.

5618 — SIDEWALK BIKE

SIZE — Length overall 47 inches. Height overall 30 inches.

FRAME — Heavy tubing. Cross bar removable for converting into girl's model. Fork reinforced and equipped with long wearing Bronze bushings.

WHEELS — 16 inch. Wire spokes, with easy rolling nylon bearings.

TIRES — 1.75 inch semi-pneumatic.

PEDALS — Two piece green translucent vinylex.

EQUIPMENT — Free wheeling rear wheel for coasting. Hand brake on front wheel. Fender guards on front wheel. Two 5 inch removable trainer wheels. ¾ inch tubular one-way adjustable plated handle bar. Fenders. Bicycle roller chain and heavy gauge sprocket. Vinyl top saddle with plated coil springs and crash rail. Chain guard. Reflector on rear fender. Plated truss rods on front fork. Luggage carrier. Streamers on grips.

FINISH — Flamboyant green, decorated white and gold. Wheels white, striped green and black.

PACKING — One in carton.

WEIGHT — 38 pounds.

5815

5805

5805 — SCOOTER

SIZE — Length 24 inches, height 26 inches.

WHEELS — 5 inch disc.

TIRES — ½ inch rubber.

EQUIPMENT — Wood footboard.

FINISH — Frame red. Footboard blue. Wheels white, striped red.

PACKING — Six in carton.

WEIGHT — 34 pounds per carton.

5815 — SCOOTER

SIZE — Length 39 inches, height 33 inches.

WHEELS — 10 inch artillery with Hercules bearing of cold rolled steel.

TIRES — ¾ inch rubber.

EQUIPMENT — Wood footboard. Parking stand. Brake.

FINISH — Frame and footboard red. Wheels white, striped red.

PACKING — Two in carton.

WEIGHT — 26 pounds per carton.

5870



5832

5832 — SCOOTER

SIZE — Length 39 inches, height 33 inches.

WHEELS — 10 inch artillery, with easy rolling nylon bearings.

TIRES — 1¼ inch rubber.

EQUIPMENT — Wood footboard. Fender. Brake. Tubular steel handle with red plastic grips. Parking stand.

FINISH — Frame white, decorated red. Handle white. Footboard two-tone, white center, red outside. Fender and wheels red, decorated white.

PACKING — One in carton.

WEIGHT — 15 pounds.

5870 — SCOOTER

SIZE — Length 39 inches, height 33 inches.

WHEELS — 10 inch artillery, with easy-rolling nylon bearings.

TIRES — 1.75 inch puncture proof semi-pneumatic.

EQUIPMENT — Wood footboard with patented folding seat. Fender. Brake. Tubular steel handle with plastic grips. Parking stand.

FINISH — Wheels flamboyant maroon, striped white. Fender light blue, decorated white and maroon. Frame and seat maroon and light blue, striped white.

PACKING — One in carton.

WEIGHT — 18 pounds.



1325

1328

1325 — WAGON-WOOD

BOX — Heavy kiln dried lumber. 16 x 36 x 3 inches, reinforced with cleats. Sides mortised to bottom. Ends drawn together with box rods.

GEAR — Stamped from heavy steel, with fifth wheel. Equipped with tubular steel handle.

WHEELS — 10 inch artillery with easy rolling nylon bearing.

TIRES — 1.75 inch puncture proof semi-pneumatic.

FINISH — Box natural varnish. Front racks red. Wheels red, decorated white. Gear and handle aluminum.

PACKING — One in carton.

WEIGHT — 39 pounds.

1328 — WAGON-WOOD

BOX — Heavy kiln dried lumber, 16 x 45 x 3 inches, reinforced with cleats. Sides mortised to bottom. Ends mortised to sides. Ends drawn together with box rods.

GEAR — Stamped from heavy steel, with fifth wheel.

WHEELS — Precision Ball Bearing double disc, 8½ inch front, 10 inch dual wheel with double tire in rear.

TIRES — 1 inch rubber.

EQUIPMENT — Tubular steel handle with rubber grip.

FINISH — Box natural varnish. Racks red. Wheels red, striped white.

PACKING — One in carton.

WEIGHT — 50 pounds.

2405

2709

2405 — ALL-STEEL WAGON

BODY — Size 10½ x 21 x 2¼ inches. Stamped from one piece auto body steel. Equipped with plated railing on sides.

GEAR — Stamped from heavy steel.

WHEELS — 5 inch double disc.

TIRES — ⅝ inch rubber.

FINISH — Two tone box, red inside, white outside. Wheels red. Gear and handle aluminum.

PACKING — Six in carton. Weight per carton 48 pounds. Also available at extra charge packed one in a carton. Weight 9 pounds.

2709 — "RED STREAK" WAGON

BODY — Size 17 x 35 inches. Stamped from one piece heavy auto body steel. Streamlined rounded front.

GEAR — Stamped from heavy steel, with fifth wheel.

WHEELS — 10 inch artillery, with easy rolling nylon bearings.

TIRES — 1.75 inch puncture proof semi-pneumatic.

FINISH — Red box, wheels red, striped white. Gear and handle painted aluminum.

PACKING — One in carton.

WEIGHT — 30 pounds.

2722



5759

2722 — "FLASH" DELUXE WAGON

BODY — Size 17 x 35 x 4½ inches. Large square box stamped from one piece heavy auto body steel.
GEAR — Stamped heavy double channel with fifth wheel.
WHEELS — 10 inch artillery, with easy rolling nylon bearings.
TIRES — 1.75 inch puncture proof semi-pneumatic.
EQUIPMENT — Large rubber grip on handle. Plated rail on sides of box.
FINISH — Two color box, white outside, maroon inside. Wheels maroon, striped white. Gear and handle aluminum.
PACKING — One in carton.
WEIGHT — 34 pounds.

5759 — SPACE CRUISER

BODY — Length overall 48 inches. Width 27 inches.
FINISH — White, decorated red and yellow.
GEAR — Speedy, easy to operate chain drive. Ball bearings on rear axle and pedal crank.
WHEELS — Rear wheels 10 x 1.75 inches molded tire with nylon bearings. Front wheel 8x1.25 molded tire with nylon bearings.
STEERING MECHANISM — Swivel type front wheel (nylon bearing stem) permits 360° turning through universal joint attached to steering rod.
EQUIPMENT — Flying saucer gun that really shoots. Two way adjustable safety type bucket saddle to allow use by wider age range children.
PACKING — One in carton.
WEIGHT — 51 pounds.

"ROYAL RACER" SLED

U. S. Patent Office
MAR 12 1956
Design Division



7200 — SLED GUARD

SIZE — Length 14 inches, width 13 inches, height 9½ inches.

CONSTRUCTION — Collapsible to fit any sled our make. Made of seasoned hardwood and heavy gauge strip steel.

FINISH — Wood parts varnished natural. Steel strip enameled in red.

PACKING — ½ dozen in carton.

WEIGHT — 21 pounds per carton.

"SILVER STREAK" SLED

"ROYAL RACER" SLED

UNDERGEAR — Streamlined, rear of sled lower than front. "T" shaped grooved runners of high carbon crucible steel. Big curl on runner ends for safety. Patented knees of heavy gauge stamped steel.

TOPS — Sturdy decks of selected hardwoods, nicely decorated in red and black color fast enamel, coated with natural varnish. All metal parts finished in brilliant red lacquer.

PACKING — Two in a bundle.

No.	Length	No. of Knees	Shipping Weight Per Bundle
7136	36"	4	14 lbs.
7140	40"	4	16 lbs.
7145	45"	4	18 lbs.
7154	54"	6	22 lbs.

"SILVER STREAK" SLED

UNDERGEAR — Streamlined for appeal and performance — rear of sled lower than front. "T" shaped grooved runners of high carbon crucible steel. Closed runner ends for safety and streamlined appearance. Patented knees of heavy gauge stamped steel.

STEERING — Highest flexibility with famous patented "Y" steering.

TOP — Made of selected hardwoods, the deck is beautifully finished in red, blue, and silver color fast enamels, coated with weather-resistant varnish. All metal parts finished in bright aluminum lacquer.

PACKING — Two in a bundle.

No.	Length	No. of Knees	Shipping Weight Per Bundle
8940	40"	4	16 lbs.
8946	46"	4	19 lbs.
8952	52"	6	22 lbs.
8958	58"	6	24 lbs.

SNO-FLAKE

Licensed under U. S. Patent No. 2,493,315 and Canadian Patent No. 467,492.

"COMET" SLED

THE COMET SLED

UNDERGEAR — Streamlined, rear of sled lower than front. "T" shaped grooved runners of high carbon crucible steel. Enclosed runner ends for safety and appearance. Patented knees of heavy gauge stamped steel. Streamlined steel shield in front.

STEERING — Highest flexibility with famous patented "Y" steering. New steel steer bar with rubber grips designed and shaped to protect hands.

TOP — One piece five ply veneer, waterproof and weather proof. Top screwed to cross beams. Large wood side rails.

FINISH — All metal parts bright baked-on enamel. Front, aluminum decorated red and blue. Steer bar blue with red grips. Runners, knees and irons aluminum. Top red and blue. Wood rails striped red. All parts covered with high gloss varnish.

PACKING — Two in a bundle well wrapped for shipping.

No.	Length	No. of Knees	Shipping Weight Per Bundle
9048	48"	4	26 lbs.
9054	54"	6	29 lbs.
9060	60"	6	31 lbs.

7000 — SNO-FLAKE

New coaster pan stamped out of 20 gauge auto body steel. 27" diameter by 3½" depth at center. Edges rolled for extra strength and added safety. Handles of canvass webbing. Two heavy cone washers on underside of each handle serve as brake shoes for purposes of stopping or reversing circular rotation of pan.

Packed six in a carton; two finished red, two in blue, and two in yellow. Weight per carton — 42 pounds.

336

726

U. S. Patent Office
MAR 12 1956
Design Division

CROQUET SETS

Two of the outstanding croquet sets in our 1956 line, numbers 336 and 726. Send for the complete 1956 Croquet Folder illustrating and describing all sets with such features as plastic balls, mallet heads with DURATIPS of phenolic resin plastic and ROLLWAY racks. All finished in vivid colors and durable varnish.

HOME GOLF SET

indoors and outdoors

New Golf Set for indoors and outdoors. Set consists of nine hazards and two holes, finished in bright yellow lacquer. Two putters and two balls included. Packed in green and white display carton. Write for circular giving complete information.

U. S. Patent Office
MAR 12 1956
Design Division

MEMBER OF

TOY M'F'RS. U.S.A.

TRADE MARK

AMERICAN TOYS

U. S. Patent Office
MAR 12 1956
Design Division

Printed in U.S.A.